VINSON & ELKINS L.L.P. THE WILLARD OFFICE BUILDING 1455 PENNSYLVANIA AVE., N.W.

WASHINGTON, D.C. 20004-1008

TELEPHONE (202) 639-6500 FAX (202) 639-6604

EX PARTE OR LATE FILED

ORIGINAL

WRITER'S TELEPHONE

(202) 639-6755

January 31, 1997

FEGEIVED

JAN 3 1 1997

Mr. William F. Caton **Acting Secretary Federal Communications Commission** 1919 M Street, N.W., Room 222

Washington, DC 20554

Re: IB Docket No. 96-220

Notice of Ex Parte Presentation

.EDERAL CONCLUSION COMMISSION WHILE IT SHERE LARY

Dear Mr. Caton:

Leo One USA Corporation ("Leo One USA"), by its attorneys, hereby notifies the Commission, pursuant to Section 1.1206 of the Commission's rules, of an ex parte presentation to the FCC's staff held earlier today. Copies of the written materials summarizing the presentation are attached. An original and one copy of this notice are being submitted to the Secretary's Office. The members of the Commission staff who attended the meeting are copied below.

Any questions regarding this matter should be directed to the undersigned.

Respectfully submitted,

Robert A. Mazer

Counsel for Leo One USA Corporation

cc:

Rudy Baca Jane Mago David Siddall

HOUSTON

DALLAS

WASHINGTON, D.C.

No. of Copies rec' ist ABCDE

SINGAPORE

LONDON

AUSTIN

Moscow

NANG MSS ISSUES

Leo One USA January, 1997

NVNG MSS Issues

- 1. Will the markets to be served by NVNG MSS operators be competitive if limited to only the 1st Round licensees
- 2. Will currently allocated spectrum allow the introduction of new global near real-time services
 - Sharing with DMSP and NOAA MetSats
 - Sharing with GE Starsys in the 137-138 MHz band
 - Sharing with Orbcomm in the 148-149.9 MHz band
- 3. How should the NVNG MSS band plan be formulated
- 4. How should the Commission process pending applications
 - financial qualification
 - auctions

1. Competitive Analysis

Leo One USA used DOJ/FTC Merger Guidelines to define markets

- Service Categories
 - Tracking, Monitoring, Emergency Services, Messages, Transaction Services
- Coverage
 - Global
 - Nationwide: Ubiquitous
 - Nationwide: Non-Ubiquitous
 - Urban: Pockets of Coverage
- Timeliness
 - Outages in coverage of < 5 minutes
 - Outages in coverage of > 5 minutes and < 30 minutes
 - Outages in coverage of > 30 minutes and < 3 hr.
- Costs
 - Separate markets exist if a low cost provider is able to raise prices by 5% and not cause consumers to shift to other products

TABLE 1: MARKETS AND SUPPLIERS

Tracking Co.	verage Outage:	Leo One USA	Стверен		atellite VIIA	System swatch of the control of the	1	AMSC (Skycell)		Highwaymaster	VHF Radio Systems/WaterComm	restri	al Voic		ta					Terre	strial				6
Con	verage Outage:				VITA	Leo				ışı	OTH O		s												<u>ر</u>
Con	verage Outage:				VITA					rter	E E		s			<u> </u>								j	<u>ر</u>
Con	verage Outage:		Опесени	Starts	VITA	Leo Systems	Marzat	kycell)	n	ě	Ę		ای	}	- 1	ł	_		- 1	- 1	ł	- 1		,	(A
Con	verage Outage:		Опревин	Sterays	ATTA	Leo System	Tare to	kycell	l n l		91						- B								71
Con	verage Outage:		Orbcon	State	ATIV	Leo Sy	Ę	*		1 7 1	용일	_	Broadband PCS	- {	اير	_	Ram Mobile Data	- 1	_	€		È	Pinpoint Comm.	Nexus Tele.	Namowband PCS
Con	verage Outage:		δ	ES.	^	3		્ર	Omnitracs	<u>E</u>	2 2	Celtular	Ē [SMR	Georek	NexTei	ă	Ardis	Celline	Метисол	5	Cellemetry	ے ا	Ţ.	5
Con	verage Outages				i		_ ≧	8	Ē	Į	至量	8	8	ຶ່	3	Ž	2	*	8	ž	Ö	3	<u> </u>	ž	Ì
Con	verage Outage:		}	1		ă		₹ .	1	Ť	1	1	ž,	1	1		å	1	1	1	1		ā	_	Ž
Con	verage Outages		}		1		}				Ø			-				1			- 1				i
	verage Outages				1								1	- 1				1							i
Global		- 1	1]	}]	}				1						1	1							ĺ
Global	< 5 minutes	 	+-	1	 	mvAs.	H	_			\vdash						$\neg \dagger$								\vdash
Į.	> 5 mm & < 30		1			1	·																		
	> 30 min. & < 1	w. •					·	Hic	Hc																
	< 5 minutes	1				such.	н	Н	Н																
Mationwid				 _	L_	Ŀ	Ŀ	·	\vdash												L				
- Priquious		_	1.	1	 	 	<u> -</u>	<u> </u>	<u> </u>	He		Lc	Lo			Mc	Mc	Mc						<u> </u>	—
Truck dispatch and monitoring	< 5 minutes		┦	 	↓	mAn	н	н	Н_	н			L		L	м	M	М		 	ļ	L		L	ـــــ
Mationwid					 	├	<u> -</u>	├	<u> </u>	<u> </u>		:-				-				ļ	 		 	<u> </u>	 —
non-Usigu		_	4-	 -	}	↓ :	 `	<u> </u>	 	<u> </u>	 	<u> </u>	<u> </u>	Le	Mc		\vdash		Le	Lc	AAc	 -	l E	ļ	k
l	< 5 minutes	<u></u>	-}	 	 	mAh.	H .	<u> </u>	H	H		·	<u>.</u>	L.	<u> </u>	M	<u>M</u>	<u>м</u>	L	-	<u>M</u>		- ! -		 :
Urban /	> 5 min. 8 < 30 4 Coverage > 30 min. 8 < 3		+.	+	╂	+	+-	l :	 	H÷	 	<u> </u>	- -	<u> </u>	ا		\vdash	- -			<u> </u>		<u> </u>		₩÷
7-24-0	2.0.											******			*******			*******	*****	*******	*****	********		(***	
	< 5 minutes		1	T	1	m/n	Н	T	T									*********						<u> </u>	T
Global	> 5 min. 8 < 30	Anin .	1	1	1	1 .	+ :-	1	 	1					-						l				
Maritime - comperated objecting	> 30 min. & < 3		1	T	1	1	1	Hc	He		Mc														
	< 5 minutes	1	1	1		an/h	н	н	н		м														
Nationald	o: > 5 m/m, 4 < 30	Amin •					\mathbf{L}		·		•														
Coastai &	Waterways > 30 min. & < 3	h.	٠.	1 .	1	<u> </u>	· ·	-	<u> </u>																
	< 5 minutes		-	↓		- mAs	H	 	 						L								ļ		
Global	> 5 min. 4 < 30		-	├ ─	 	∤÷	H÷	 	1	!					 -										├ ─
Mantime - recreational	> 30 min. A < 3		4 -	 '-	 		├	He	Hs	├	Mc			 	 	-	-			 	 				┼─
Nationald	< 5 minutes e: > 5 min. 4 < 30			+	+	mAs	<u> </u>	 "	 	 	<u> </u>	 -	-	 	 				 	-	 		 	 	
1	Waterways > 30 min. 4 < 3		+	-	1	+ :-	+ -	 	 	1	 	 			-				 -	-			 	 	
	< 5 minutes	1.	1	T	T		н	T	T				l .		<u> </u>					Γ				<u> </u>	T
Global	> 5 min. 4 < 30	min •			\mathbf{L}_{-}	·	·																		
	> 30 min. & < 1	Nr. *	L	1		•		Hc	Hc																
	< 5 minutes					mh	Н	Н	Н																
Nationuid			1_			Ŀ	·	I :	·																L
Ubiquiou			1	1	1	↓ ·	<u> - </u>	<u> :</u>	<u> </u>	Hc		Le	Le			Mc	Mc	Mc		L	L				
Tracturg - standard containers	< 5 minutes		4	4	 	an/h	Н.	H .	٣.	н						M	М	м					L		ــــ
Makionuld				-	├ ─	↓	 - -		<u> </u>	!	 	<u> </u>	<u>-</u>		 	├ ∸			<u> </u>		<u> </u>	ļ			├ —
non-Libiqu			 	 '-	 	ļ.	<u> </u>	 	┵	<u> </u>	-	<u> </u>	<u> </u>	Le	Mc	<u> </u>	•		LG.	Lc	Mc		k		K
1	< 5 minutes			-		mh	H -	H	Н.	н	-	1	1		M	M	М	M	-	+-	М	 	1		<u> </u>
Urban /	> 5 min. 6 < 3 > 30 min. 4 < 3		+-	+-	1	╁÷	 	 	 	 :	 	 :	 : -	 :-	 ÷	 ∶	<u> </u>	÷	 :	 ∶	\vdash	 	·-	 -	 :
Pockets of	of Coverage > 30 min. & <				1				*********	*******						20000000	_	********			*******	000000000000000000000000000000000000000		66.000 (A.C.)	

Many Markets Have Few or No Substitutes

Terrestrial Data Providers

- can serve many markets as a low-cost provider but have limitations on coverage capabilities
- Geostationary Fixed Satellite Service
 - can serve many markets but have limitations on cost, CPE, global coverage
- Big LEOs
 - can serve many markets but have limitations on cost
- Foreign NVNG MSS Systems
 - no authorization to operate in this spectrum -- many are paper applications or meteorological

Many Markets for Low-Cost Data Services are not Competitive

- 34% of markets cannot be served by any 1st Round Little LEO System greatest opportunity for public benefit
- 19% of markets can be served by Orbcomm and STARSYS duopoly at best, possibly a monopoly
- 47% of markets have varying degrees of competition from multiple suppliers of data services
 - Cellular, Broadband PCS
 - SMR
 - Terrestrial Data Networks

Grant of Pending Applications of 1st Round Licensees Will Prevent Introduction of New Competitive NVNG MSS Services

- Grant of modification applications of 1st round licensees will prevent licensing of new systems in the 137-138 MHz downlink band
- Grant of the licensees' requests will prevent second round systems from using the 149.9-150.05 MHz band for feeder uplinks

Grant of New 2nd Round NVNG MSS Licenses Will Serve Public Interest

- New services will be made available to the public that will not be provided by existing licensees
- Introduction of competitive services in markets to be served by Orbcomm and/or GE Starsys
- Economic impact resulting from the construction, launch and operation of approximately 100 new satellites

2. Sharing With Existing Systems in Currently Allocated Spectrum Will Allow the Introduction of Global Near Real Time Services

Sharing Issues

- Sharing with NOAA and DOD MetSats is feasible
- Sharing with Orbcomm in the 148-149.9 MHz band is feasible
- Sharing with GE Starsys in the 137-138 MHz band is feasible

Time Sharing Spectrum with MetSats is Readily Achievable


- Sharing and interference avoidance methodologies are well developed, economical, and readily employed
- Band hopping from one MetSat channel to another MetSat channel will have no cost impact on the Leo One USA subscriber terminals:
 - this capability is inherent in the Leo One USA subscriber terminals irrespective of time sharing with MetSats
 - provision of near real-time requires the use of different downlink channels by the subscriber unit
 - DCAAS requires hopping on uplink

Sharing with Orbcomm in the 148 - 149.9 MHz Band

- Orbcomm has repeatedly stated that sharing with additional entrants is feasible
- Orbcomm's own analysis indicates additional entry is viable
- A study employing ITU-R approved methodologies* for assessing sharing indicates that multiple system operation in shared U/L spectrum is viable
- * reference ITU-R M.1039 and ITU-R 8D/Temp/133-E Methods For Modelling Frequency Sharing Between Stations in the Land Mobile Service Below 1 GHz and Non-Geostationary Satellite Orbit (Non-GSO) Mobile Earth Stations

Simulation Studies Demonstrate Uplink Sharing Feasibility (cont)

10 KHz MES Uplink Channel Bandwidth



3. The Band Plan

The Commission should adopt a Band Plan that will allow the introduction of new NVNG MSS systems capable of providing near real-time services to terrestrial, aeronautical and maritime users around the world.

Remaining Spectrum Should be Assigned to Enhance Competition

- Near real-time systems must be licensed
 - Commentors agree that near real-time services provide the greatest public benefit in serving customer demand
 - Near real-time systems (continuous coverage) quantifiably demonstrate the most efficient use of public spectrum resources
 - smaller systems with coverage gaps do not maximize potential use of spectrum e.g. a paging company with a nationwide license that chooses to only buildout a few markets in effect warehouses spectrum relative to a 2nd paging company that builds a large number of markets reusing the same quantity of spectrum
- Licensees must be able to offer worldwide coverage
- Licensees must be on equal footing in terms of the ability to serve terrestrial, aeronautical and maritime users

The Commission's Proposal for Little LEO Systems 1, 2, & 3 Can be Improved Upon in the Interest of Maximizing the Public Benefit

- System 1 has too little capacity to be economically viable
 - 5.7% of the capacity Orbcomm
- System 2 is non-optimal
- System 3 has too little U/L capacity to be economically viable and is competitively handicapped
 - 16% of the capacity of Orbcomm
 - prohibited from serving 2 out of the 3 possible service categories
 - terrestrial yes
 - maritime no
 - aeronautical no

Spectrum Requirements for Deploying a Near-Real-Time Constellation

- A near real-time constellation requires a large number of satellites to support continuous coverage
 - Leo One USA plans to deploy 48 satellites
- Overlapping footprints resulting from continuous coverage requires sufficient spectrum to manage self interference
- The large investment in infrastructure required to achieve continuous coverage requires sufficient system capacity to generate a return on investment

Leo One USA's Proposal for New Little LEO Systems A and B Best Serves the Public Interest

Systems A &B

- capable of supporting a near-real-time system
- 90% of the capacity of Orbcomm
- able to serve all 3 service categories

Commentors support the Leo One USA band plan

- CTA recommends the Commission adopt the Leo One USA band plan adding that System A or B may be able to accommodate multiple small systems instead of one near real-time
- FACS supports as a viable option adding that System A or B may be able to additionally support a small constellation

TABLE4: HHI Analysis

							•						
Potential		Orbcomm,	Orbcomm, Starsys & VITA each	[A each	VITA ope	VITA operates in specialized	ialized	.,	Starsys fails		Neithe	Neither VITA or Starsys	rsys
Licensing Outcomes		fully depl	fully deploy licensed systems	ystems	-uou	non-for-profit market	ket	to la	to launch its system	E.	partici	participate in the market	rket
			Market			Market			Market			Market	
1 Today's environment	Licensee	Capacity	Share	羽3	Capacity	Share 90 00%	王 5	Capacity	Share 94 54V	∃ ፟፟፟	Capacity	Share 100 00%	型 5
	Orbcomin	- 0	40.01% 40.43%	936	- C	4 00.00	3 5	- <	\$19.FG	?	-	2000	-
	Starsys	0.057	4.36%	96 6	67.0	20:07 20:00		0.057	5.39%	- E		0.00%	, ,
		1.31		6239	1.25	•	0089	1.06		8880	1.00		10000
		Market Concentration	entration	6239	Market Concentration	centration	0089	Market Concentration	centration	8980	Market Concentration	entration	10000
			Market			Market			Market			Market	
2 No new licensing,	Licensee	Capacity	Share	ヨ	Capacity	Share	围	Capacity	Share	围	Capacity	Share	囯
Orbcomm 2nd	Orbcomm	1.16	79.07%	6253	1.16	82.27%	6768	1.16	95.32%	9085	1.16	100.00%	10000
round ammendment	Starsys	0.25	17.04%	290	0.25	17.73%	314	٥	%00.0	0 ;		0.00%	
is accepted.	VITA	0.057	3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00	15	0	%00.0	0	0.057	4.68%	22	,	×00.0	0
		1.47		6558	1.41		7083	1.22		9107	1.16		10000
		Market Concentration	centration	6558	Market Concentration	centration	7083	Market Concentration	centration	9107	Market Concentration	centration	10000
			Market			Market			Market			Market	
3 Three additional licenses	Licensee	Capacity	Share	 ₹	Capacity	Share	Ī	Capacity	Share		Capacity	Share	Ī
	Orbcomm	-	42.30%	1789	-	43.35%	1879	-	47.30%	2238	-	48.61%	2363
in Systems 1, 2, & 3	Starsys	0.25	10.58%	112	0.25	10.84%	117		0.00%	•		0.00%	0
by the NPRM.	WITA	0.057	2.41%	9		0.00%	•	0.057	2.70%	7		0.00%	•
1	System 1	0.057	2.41%	9	0.057	2.47%	9	0.057	2.70%	7	0.057	2.77%	30
	System 2	0.84	35.63%	1263	0.84	36.41%	1326	0.84	39.74%	1579	0.84	40.84%	1668
	System 3	0.16	6.77%	46	0.16	6.94%	48	0.16	7.57%	22	0.16	7.78%	5
		2.36		3175	2.31		3328	2.1		3831	2.06		4039
		Market Concentration	centration	3175	Market Concentration	centration	3328	Market Concentration	centration	3831	Market Concentration	centration	4039
			Market			Market			Market			Market	
4 Two additional licenses	Licensee	Capacity	Share	到	Capacity	Share	到	Capacity	Share	王	Capacity	Share	王
awarded as proposed	Orbcomm	- }	31.98%	1023	- (32.57%	1061	-	34.76%	1208	-	35.46%	1257
in System A & B	Starsys	0.25	×88.7	3 (0.25	8.14%	99		0.00%			0.00%	-
by Leo One USA.	MTA.	0.057	1.82%			%00.0 %00.0	o ;	0.057	1.98%	•	•	%00.0	0 }
	System A	6. G	28.78% 20.42%	828	e 6	29.32%		e. 6	31.28%	9/9	e. 0	31.91%	1019
	System D	75.0	W74.67	0000	20.07	V.)6.67	9000	2000	400.10	2243	200	W.70.75	1004
		3.13		7184	3.07		C897	7.80		3213	79.7		3340
		Market Concentration	centration	2784	Market Concentration	centration	2885	Market Con	Market Concentration	3213	Market Concentration	centration	3340
	!												

4. The Processing of the Pending Applications:

- Three large near real-time systems can not be accommodated in the existing bands.
- Mutual exclusivity therefore exists for the new pending NVNG MSS systems.

Processing Procedure

- The Commission should release Report and Order by the end of February
- The Commission should adopt Domsat Financial Qualification Standard
- Concurrently, it should dismiss the pending applications of all existing licensees and applicants affiliated with existing licensees

Processing Procedure (cont'd)

- Remaining applicants should be required to amend their applications to demonstrate compliance with Domsat financial qualification standard and new technical rules
- As proposed in the Notice, Applicants should be provided the opportunity to apply for any and all segments
- Those applicants that cannot demonstrate financial qualifications should be dismissed or deferred

Processing Procedure (cont'd)

- If mutual exclusivity is eliminated for all band segments as a result of this process, the remaining applicants should be immediately granted licenses.
- If mutual exclusivity still exists in any band segments, the Commission should proceed to auction the spectrum.